



Residential Work Not Requiring A Permit

Residential Building

One-story detached accessory structures used as tool and storage sheds, playhouses and similar uses, provided the floor area does not exceed 32 square feet (18.58 m²). (Ordinance 14-9(d)(1)b)

Fences not over 8 feet (2134 mm) high. (Ordinance 14-9(d)(1)a)

Retaining walls that are not over 4 feet (1219 mm) in height measured from the bottom of the footing to the top of the wall, unless supporting a surcharge.

Water tanks supported directly upon grade if the capacity does not exceed 5,000 gallons (18 927 L) and the ratio of height to diameter or width does not exceed 2 to 1. (Ordinance 14-9(d)(1)c)

All construction must conform to the current adopted codes with State of Georgia Amendments
2018 International Residential Code
2018 International Building Code
2018 International Energy Efficiency Code
2018 International Mechanical Code
2018 International Plumbing Code
2018 International Swimming Pool and Spa Code
2020 National Electrical Code
2010 Georgia ADA Code

Sidewalks and driveways.

Painting, papering, tiling, carpeting, cabinets, counter tops and similar finish work.

Prefabricated swimming pools that are less than 24 inches (610 mm) deep. (Ordinance 14-9(d)(1)f)

Swings and other playground equipment. (Ordinance 14-9(d)(1)g)

Window awnings supported by an exterior wall which do not project more than 54 inches (1372 mm) from the exterior wall and do not require additional support. (Ordinance 14-9(d)(1)h)

Inspection Services Department

240 Pine Ave Ste 300
Albany, GA 31702
Monday through Friday
8:00am to 4:30pm
inspections@albanyga.gov
Inspection Phone 229-302-1855

Decks not exceeding 200 square feet (18.58 m²) in area, that are not more than 30 inches (762 mm) above grade at any point, are not attached to a dwelling and do not serve the exit door required by Section R311.4.

Residential Electrical

Listed cord-and-plug connected temporary decorative lighting.

Minor repair work, including the replacement of lamps or the connection of approved portable electrical equipment to approved permanently installed receptacles. (Ordinance 14-9(d)(2)a)

Portable heating, cooking or clothes drying appliances.

Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

The information contained within this bulletin is the most common needed to obtain a permit and is not representative of all the conditions that may be encountered during the construction of your project.

Permits Not Required Cont.

Portable-fuel-cell appliances that are not connected to a fixed piping system and are not interconnected to a power grid.

Residential Gas

Portable heating, cooking or clothes drying appliances.

Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

Portable-fuel-cell appliances that are not connected to a fixed piping system and are not interconnected to a power grid.

Residential Mechanical

Portable heating appliances.

Portable ventilation appliances.

Portable cooling units.

Steam, hot- or chilled-water piping within any heating or cooling equipment regulated by this code.

Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

Portable evaporative coolers.

Self-contained refrigeration systems containing 10 pounds (4.54 kg) or less of refrigerant or that are actuated by motors of 1 horsepower (746 W) or less.

Portable-fuel-cell appliances that are not connected to a fixed piping system and are not interconnected to a power grid.

Residential Plumbing

The stopping of leaks in drains, water, soil, waste or vent pipe; provided, however, that if any concealed trap, drainpipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work and a permit shall be obtained and inspection made as provided in this code.

The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures, and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes or fixtures.